

Case 2999***Umbellula* Cuvier, [1797] (Cnidaria, Anthozoa): proposed conservation as the correct original spelling, and corrections to the entries relating to *Umbellularia* Lamarck, 1801 on the Official Lists and Indexes of Names in Zoology**

Frederick M. Bayer

*Department of Invertebrate Zoology, National Museum of Natural History,
Smithsonian Institution, Washington, D.C. 20560, U.S.A.*

Manfred Grasshoff

*Forschungsinstitut und Museum Senckenberg, Senckenberganlage 25,
60325 Frankfurt am Main, Germany*

Abstract. Cuvier [1797] published the generic name *Ombellula* for a species of Arctic deep-sea pennatulacean (sea pen) which had been named *Isis encrinus* by Linnaeus (1758). In 1800 Cuvier spelled the name as *Umbellula*, and this generic name for *U. encrinus* and other species has been widely and universally used for more than 120 years. A recent work has used the spelling *Ombellula* for the first time since 1797, and the conservation of *Umbellula* is proposed. *Umbellularia* Lamarck, 1801, a junior objective synonym of *Umbellula*, was in usage during the earlier part of the 19th-century; the entries on the Official Lists and Indexes of Generic and Family-Group Names relating to this name are erroneous and corrections are proposed.

Keywords. Nomenclature; taxonomy; Anthozoa; Pennatulacea; sea pens; *Ombellula*; *Umbellula*; *Umbellularia*; *Umbellula encrinus*.

1. John Ellis (1753, 1755) described and illustrated one of two specimens of a giant deep-sea pennatulacean collected at latitude 79°N. near Greenland (perhaps really Spitzbergen: Lindahl, 1874, pp. 3, 14) by Captain Adrians of the whaling ship *Britannia* (for the history of these and other specimens see Gray, 1870, Lindahl, 1874 and Danielssen & Koren, 1884). Ellis named the species as 'Hydra marina arctica' or 'Clustered Sea-Polype'. The second specimen was described by Mylius (1753, 1755) as 'Asterias zoophytos composita' or 'Zoophytaria groenlandica'. No other specimens were reported for more than a century.

2. Linnaeus (1758, p. 800) placed the animal described by Ellis in his genus *Isis* as the species *I. encrinus*; he did not mention the description by Mylius. Ellis & Solander (1786, p. 67) transferred it to *Pennatula*.

3. Cuvier described the pennatulacean genus 'Ombellules, *Ombellula*' on p. 675 of his *Tableau élémentaire de l'histoire des animaux*; this work was published between 22 September and 24 December 1797 (see Donovan, BZN 53: 248), so Cuvier's name should be cited with the date [1797]. The genus contained no nominal species, but Cuvier stated 'On n'en connoît qu'une espèce, qui se trouve dans la mer de

Greenland'; the description shows that *Ombellula* was based on the specimen described by Ellis and named *Isis encrinus* by Linnaeus.

4. Wiedemann (1800) published a German translation of Cuvier [1797], and on p. 583 latinized 'Ombellules' to *Umbellula*. Cuvier himself (1800, Table 9) changed *Ombellula* to *Umbellula*. Under the Code the *Umbellula* of Cuvier (1800) or Wiedemann is an incorrect spelling of the *Ombellula* of 1797, but the original spelling remained entirely unused for nearly 200 years (see para. 10 below).

5. Lamarck (1801, p. 380) mentioned Ellis (but not Mylius) when establishing the nominal genus 'Umbellulaire, *Umbellularia*'; this contained the single species *Umbellularia groenlandica*, with *Pennatulula encrinus* (Linnaeus, 1758) given as a synonym. No reason was given by Lamarck for using the specific name *groenlandica*, which is a junior objective synonym of *encrinus*; on the previous page (p. 379) he had used *Encrinus* as a generic name for two crinoid species, and he may have been reluctant to employ the word in a different sense; 'Encrinus' had been used since pre-Linnaean times for fossil crinoids (see BZN 18: 65–68 for a historical survey). Blumenbach (1779, p. 435) used *Encrinus* for a genus containing three species: a Recent crinoid, an ascidian, and the new anthozoan species *E. mylii*. The name *mylii* was based on the description of the second Greenland specimen by Mylius (see para. 1 above) and is a synonym of *encrinus* Linnaeus and *groenlandica* Lamarck. In Opinion 636 the Commission conserved *Encrinus* Lamarck, 1801 by suppressing all previous uses of *Encrinus* as a generic name.

6. Early 19th-century workers did not use Cuvier's name *Ombellula* or *Umbellula* but instead adopted *Umbellularia* Lamarck, 1801. Gray (1840, p. 75) based the family-group name UMBELLARIADAE on the generic name 'Umbellaria'; the latter was presumably an error for *Umbellularia*, since this was the name used elsewhere by Gray (for example in 1860, p. 25, as *Umbellularia groenlandica*) and in 1870 (p. 38) he inaccurately referred to his 1840 family name as having been spelled UMBELLULIADAE.

7. Gray (1870, p. 38) in a suprageneric 'Section Umbellularia' reintroduced the senior generic synonym *Umbellula* [sic] Cuvier, [1797]. He included a single species, mentioning its two names *encrinus* Linnaeus and *groenlandica* Lamarck; under Article 69a(vii) of the Code Gray's action fixes *Isis encrinus* Linnaeus, 1758 as the type species by subsequent monotypy. *Umbellula* quickly became accepted (e.g. Lindahl, 1874; Kölliker, 1875) and the last usage of *Umbellularia* as a valid name was by Wyville-Thomson (1878, p. 142). For the past 120 years the usage of *Umbellula* has been both widespread and universal, and the Commission Secretariat has a list of more than 60 references to illustrate this. The senior specific name *encrinus* Linnaeus, 1758 is also in universal use. Species of the genus occur worldwide, and *Umbellula* has been used not only in taxonomic works but also in textbooks, handbooks, popular accounts and publications dealing with deep-sea biology and biogeography. Recent examples include Broch (1958), Heezen & Hollister (1971), Bayer (1973), Pasternak (1975), Grasshoff (1982, 1991), Werner (1984), Schaefer (1985), Tixier-Durivault (1987) and Kilijs (1993).

8. Lindahl (1874, p. 25) based the family name UMBELLULAE (correctly UMBELLULIDAE) on *Umbellula*. This name has been very widely used; under Article 40b of the Code it takes the precedence of Gray's name of 1840 based on the junior generic synonym *Umbellularia* (para. 6 above), and it should be cited as UMBELLULIDAE Lindahl, 1874 (1840).

9. In 1960 Margaret Spillane of the Commission Secretariat published a report (BZN 18: 65–68) on the crinoid generic name *Encrinurus* (cf. para. 5 above), together with proposals mainly concerning that name. This action was taken in response to an application by Dr T. Mortensen, who had subsequently died. Unfortunately the proposals also included placing the supposedly valid *Umbellularia* Lamarck, 1801 on the Official List. Neither Spillane nor anybody else realized or commented that the anthozoan name *Umbellularia* had long been entirely replaced by the senior Cuvier synonym *Umbellula*; indeed *Umbellula* was not mentioned. In Opinion 636 (September 1962) *Umbellularia* was placed on the Official List of Generic Names, with *Isis encrinurus* Linnaeus, 1758 as the type species by monotypy (in fact under Article 68d of the Code the type species is *Umbellularia groenlandica* Lamarck, 1801, since this name was originally used as valid even though it is a junior objective synonym of *I. encrinurus*; see para. 5 above). Lindahl's family name of 1874 (cf. para. 8 above) was placed on the Official List with the erroneous statement that it was based on *Umbellularia* (for which reason it was 'corrected' to UMBELLULARIIDAE), but Gray's name of 1840 actually based on that nominal genus was not mentioned. For reasons of the priority and usage of *Umbellula* and of accuracy the entries on the Official Lists and Indexes relating to *Umbellularia* and the family names need to be corrected, and this is proposed in para. 12 below.

10. As reported above, *Umbellula* has been in wide and universal use for more than a century. Despite this, and in contravention of Article 23b of the Code, Williams (1995, p. 118) has very recently adopted the spelling *Ombellula*, which had never been used since the original publication by Cuvier in 1797. Williams referred 42 species to *Ombellula*, and stated that the type species was *Isis encrinurus* by the designation of Danielssen & Koren (1884); the fixation was actually by Gray's subsequent monotypy in 1870 (para. 7 above).

11. Introduction of the completely unused spelling *Ombellula* would be very destabilizing, and the long universal usage of *Umbellula* Cuvier, [1797] constitutes a clear prima facie case for its conservation.

12. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary powers to rule that the correct original spelling of the name *Ombellula* Cuvier, [1797] is *Umbellula*;
- (2) to place on the Official List of Generic Names in Zoology the name *Umbellula* Cuvier, [1797] (gender: feminine), type species by subsequent monotypy (Gray, 1870) *Isis encrinurus* Linnaeus, 1758 (spelling emended by the ruling in (1) above);
- (3) to emend the entry on the Official List of Specific Names in Zoology for the name *encrinurus* Linnaeus, 1758, as published in the binomen *Isis encrinurus*, to record that *Isis encrinurus* is the type species of *Umbellula* Cuvier, [1797];
- (4) to place on the Official List of Family-Group Names in Zoology the name UMBELLULIDAE Lindahl, 1874 (1840), (type genus *Umbellula* Cuvier, [1797]);
- (5) to delete the entry on the Official List of Generic Names in Zoology for the name *Umbellularia* Lamarck, 1801;
- (6) to delete the entry on the Official List of Family-Group Names in Zoology for the name UMBELLULARIIDAE Lindahl, 1874;

- (7) to place on the Official Index of Rejected and Invalid Generic Names in Zoology the following names:
 - (a) *Ombellula* Cuvier, [1797] (an incorrect original spelling of *Umbellula* by the ruling in (1) above);
 - (b) *Umbellularia* Lamarck, 1801 (a junior objective synonym of *Umbellula* Cuvier, [1797]);
- (8) to place on the Official Index of Rejected and Invalid Family-Group Names in Zoology the name UMBELLULARIIDAE Gray, 1840 (type genus *Umbellularia* Lamarck, 1801, a junior objective synonym of *Umbellula* Cuvier, [1797]) (replaced under Article 40 by UMBELLULIDAE Lindahl, 1874 (1840));
- (9) to delete from the Official Index of Rejected and Invalid Family-Group Names in Zoology the [inaccurate] entries for the following names:
 - (a) UMBELLULAE Lindahl, 1874;
 - (b) UMBELLULEAE K  lliker, 1875.

Acknowledgements

We acknowledge with thanks the advice and help of Dr C.W. Sabrosky and Dr P.K. Tubbs at various stages during preparation of this application.

References

- Bayer, F.M. 1973. Colonial organization in octocorals. Pp. 69–93 in Boardman, R.S., Cheetham, A.H. & Oliver, W.A., Jr. (Eds.), *Animal colonies — development and function through time*. xiii, 603 pp. Sinauer, Sunderland, Mass.
- Blumenbach, J.F. 1779. *Handbuch der Naturgeschichte*. G  ttingen.
- Broch, H. 1958. The pennatularian genus *Umbellula*. *Nature*, **182**: 267–268.
- Cuvier, G.L.C.F.D. [1797]. *Tableau   l  mentaire de l'histoire naturelle des animaux*. xvi, 710 pp. Baudouin, Paris.
- Cuvier, G.L.C.F.D. 1800. *Le  ons d'anatomie compar  e de G. Cuvier*. Recueillies et publi  es sous ses yeux, par C. Dum  ril. Vol. 1. xxxii, 521 pp. Baudouin, Paris.
- Danielssen, D.C. & Koren, J. 1884. *The Norwegian North Atlantic Expedition 1876–1878*, vol. 12. Zoology. Pennatulida. 84 pp., 12 pls. Christiania. [In Norwegian and English].
- Ellis, J. 1753. A letter from Mr. John Ellis to Mr. Peter Collinson F.R.S. concerning a cluster-polype found in the sea near the coast of Greenland. *Philosophical Transactions of the Royal Society*, **48**: 305. [See also abridged version of the *Transactions*, **10** (1809): 409].
- Ellis, J. 1755. An account of a clustered polype, found in the North Seas, near the Pole. Pp. 96–99 in: *An essay towards a natural history of the Corallines ... To which is added the description of a large Polype taken near the North Pole by the Whalefishers...* xvii, 103 pp., 39 pls. London.
- Ellis, J. & Solander, D.C. 1786. *The natural history of many curious and uncommon Zoophytes, collected from various parts of the Globe ...* xii, 208 pp., 63 pls. London.
- Grasshoff, M. 1982. Die Gorgonaria, Pennatularia und Antipatharia des Tiefwassers der Biskaya (Cnidaria, Anthozoa) ... 2. Taxonomischer Teil. *Bulletin du Mus  um national d'Histoire naturelle* (Paris), (4)3(A)4: 941–978 (51 figs.).
- Grasshoff, M. 1991. Die von E.J.C. Esper 1788–1809 beschriebenen Anthozoa (Cnidaria). *Senckenbergiana Biologica*, **71**: 325–368.
- Gray, J.E. 1840. The third room [radiated animals]. Pp. 66–77 in *Synopsis of the contents of the British Museum* (Ed. 42). 273 pp. London.
- Gray, J.E. 1860. Revision of the family Pennatulidae, with descriptions of some new species in the British Museum. *Annals and Magazine of Natural History*, (3)**5**: 20–25.
- Gray, J.E. 1870. *Catalogue of the sea-pens or Pennatulariidae in the collection of the British Museum*. iv, 40 pp. London.

- Heezen, B.C. & Hollister, C.D. 1971. *The face of the deep*. xii, 659 pp. Oxford University Press, London, New York, Toronto.
- Kilius, R. 1993. Stamm Cnidaria — Nesseltiere. Pp. 115–219 in: *Urania Tierreich*, Wirbellose 1 (Protozoa bis Echiurida). 666 pp. Urania, Leipzig.
- Kölliker, R.A. 1875. Die Pennatulide *Umbellula* und zwei neue Typen der Alcyonarien. *Festschrift zur Feier des fünfundzwanzigjährigen Bestehens der physikalisch-medicinischen Gesellschaft in Würzburg*. 23 pp., 2 pls.
- Lamarck, J.B.P.A. 1801. *Système des animaux sans vertèbres* ... viii, 432 pp. Author, Paris.
- Lindahl, J. 1874. On Pennatulid-Släktet *Umbellula* Cuv. *Kongliga Svenska Vetenskapsakademiens Handlingar*, 13(3): 1–22. [In Swedish, with English summary].
- Linnaeus, C. 1758. *Systema Naturae*, Ed. 10, vol. 1. 824 pp. Salvii, Holmiae.
- Mylius, C. 1753. *Beschreibung einer neuen Grönlandischen Thierpflanze*. In einem Sendschreiben an ... Hrn Albrecht von Haller. 19 pp., 1 pl. Linde, London.
- Mylius, C. 1755. *An account of a new zoophyte or animal plant from Groenland* ... Now translated into English. 27 pp., 1 pl. Linde, London.
- Pasternak, F.A. 1975. The deep-sea pennatularian genus *Umbellula* from the Caribbean Sea and Puerto-Rican Trench. *Transactions of the P.P. Shirsov Institute of Oceanology*, 100: 160–173. [In Russian].
- Schaefer, W. 1985. Phylum: Cnidaria. Nesseltiere. Pp. 162–195 in Siewing, R. (Ed.), *Lehrbuch der Zoologie*. Teil 2: Systematik. (Ed. 3). 1107 pp. Fischer, Stuttgart.
- Tixier-Durivault, A. 1987. Sous-classe des Octocoralliaires. Pp. 3–185 in Grassé, P.-P. (Ed.), *Traité de zoologie*, vol. 3(3). viii, 859 pp. Masson, Paris.
- Werner, B. 1984. Stamm Cnidaria. Nesseltiere. Pp. 11–305 in Gruner, H.-E. (Ed.), *Lehrbuch der speziellen Zoologie*. Band 1: Wirbellose Tiere. 2 Teil. (Ed. 4). 621 pp. Fischer, Jena.
- Wiedemann, C.R.W. 1800. *Cüvier's Elementarischer Entwurf der Naturgeschichte der Thiere aus dem Französischen übersetzt und mit Anmerkungen versehen von C.R.W. Wiedemann*, vol. 2. 599 pp. Pauli, Berlin.
- Williams, G.C. 1995. Living genera of sea pens (Coelenterata: Octocorallia: Pennatulacea): illustrated key and synopses. *Zoological Journal of the Linnean Society of London*, 113: 93–140 (10 figs.).
- Wyville-Thomson, C. 1878. *The Voyage of the 'Challenger'*. Vol. 1. The Atlantic. xx, 391 pp., 14 pls., 106 figs. Harper, New York.